





# SEWSYSTEMS

## AT900 series Lay down bonding machine



This machine applies heat with Heated Belts, hot air and can be converted to use all the below methods of application. independently driven heated belts, Drop roller foot belts, silicon rollers in any combination



This is the new design touchscreen model of bonding machine. Designed to use all your old AT750 conversion parts whilst having the advantage of a new quick change location system and flat-bed working area. Patented design features with continuous heated silicon belts and both top and bottom hot air. This versatile machine can be fitted with lots of different fittings for different operations. It is primarily used to turn over and bond down a hem or lap seam as a 2nd operation machine. Because it has the patented silicon belt heating system, it allows you to produce garments without the need for manual pressing after.

The machine is available with a manual or an electronic metering device, which is integrally linked with the machine electronics, so that it can be used for applying elastic or tapes with differential setting adjustable around the garment.


### Models available

AT900V - Bonding machine with heated belts in 12, 20 and 30mm width

AT900VM - Bonding machine with heated belts in 12, 20 and 30mm width and electronic metering for applying Adhesive, decorative tapes, coated fabrics and coated elastics, with drag or slack fed.

Power Supply	AC 220V 50/60Hz
Heater Power (W)	1500
Compressed Air (bar)	> 4
Maximum Temperature (°C)	230
Speed Range mpm	0 - 8.5
Bonding area	Heated belt/Heated belt/Hot airx2
Dimensions LxWxH (mm)	1050 x 500 x 1230
Net Weight (kg)	165

This machine does all or part operation of the following joins



**Bonding - Ultrasonic - Laser - Presses - Machine Design - Engineering**